

Didier BARAT et al.


REMARKS

Claims 3 and 12 were amended to correct multiple dependencies. Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page is captioned "VERSION WITH MARKINGS TO SHOW CHANGES MADE".

Respectfully submitted,

YOUNG & THOMPSON

By



Thomas W. Perkins
Attorney for Applicant
Customer No. 000466
Registration No. 33,027
745 South 23rd Street
Arlington, VA 22202
703/ 521-2297

December 31, 2001

"VERSION WITH MARKINGS TO SHOW CHANGES MADE"

Claims 3 and 12 have been amended as follows:

3. (Amended) Method according to Claim 1 ~~or 2~~, in which at least some of the components (1) are designed to be between the said web (4) and the said support (3), against one of its faces (6), called rear face.

12. (Amended) Dashboard sub-assembly, especially a vehicle-dashboard console, obtained by the manufacturing method according to ~~any one of the preceding claims~~ Claim 1.

WO 01/02149

PCT/FR00/01843

ABSTRACT

A method for making a dashboard subassembly with electrical and/or electronic components connected to conductors and attached to a rigid support. The method includes providing a flexible mat provided with the conductors, mounting the components on the mat connected to said electrical conductors, rigidising the mat by overmoulding it with a material designed to form the support.